


PRODUCT CATALOGUE



Contents

3 Company Summary

4 Combination Vending Machines

15 Payment Systems

18 EV Charging



Meet the Team



Gemma van Ryn

Gemma

Simon van Ryn

Partner, Digital Marketing & Advertising Lead



Taryn Feehan

Partner & Social Media Lead

Partner & Consultant

Paul

Endri

Partner, Creative & Web Lead










AboutVending Warehouse

With over 40 years of experience in the snack food industry and 30 years experience in vending, we've been dedicated to providing the highest quality products and services to our clients across the wider Wellington region.

We take pride in offering a vast selection of vending machines, including snack, beverage, and food options, tailored to meet the needs of any location.

Our team continues to be committed to exceptional customer service, ensuring that our customers receive the support they need to maintain their machines.

We are passionate about innovation and utilising technology to improve the vending experience for all. Thank you for considering us as your go to vending machine provider. Don't hesitate to get in touch today.



Combination Vending Machines

All machines can be configured to suit your needs: Including snacks and drinks.

Combination vending machines are versatile automated retail solutions that offer a wide range of products in a single unit. These machines typically combine traditional snack offerings like chips, candy, and beverages with nonfood items such as personal care products, electronics, or even fresh food items. Their multifunctionality makes them ideal for locations with diverse customer needs, like office buildings, airports, schools and gyms. With advanced technology, combination vending machines are able to offer a more tailored shopping experience. Their adaptability and convenience make them a popular choice in modern vending solutions.



VW-30 Selection Combo

30 Selections, Endless Convenience – Your Perfect Snack Stop!

Technical Features

Height 1940 mm Width 730 mm Depth 850 mm Weight 240 kg

Merchandise Type

66 choices (canned product/bottle packed product/box - packed product).

Storage Capacity

About 180-500pcs (according to size of goods).

Interior Storage

6 trays.

Refrigeration Temperature

4-25°C (adjustable).

Electricity

AC100V/240V, 50Hz/60Hz.

Standard Interface



VW-40 Selection Combo

40 Vends, Infinite Possibilities!

Technical Features

Height 1940 mm Width 790 mm Depth 882 mm Weight 240 kg

Merchandise Type

About 60 choices (canned product/bottle packed product/box - packed product).

Storage Capacity

About 180-500pcs (according to size of goods).

Interior Storage

6 trays.

Refrigeration Temperature

4-25°C (adjustable).

Electricity

AC110V~120W/220V~240V50/6 0Hz.

Standard Interface



VW-50 Selection Combo

50 Vends, Countless Choices, One Convenient Stop!

Technical Features

Height 1940 mm Width 790 mm Depth 1036 mm Weight 240 kg

Merchandise Type

About 70 choices (canned product/bottle packed product/box - packed product).

Storage Capacity

About 360-800pcs (according to size of goods).

Interior Storage

6 trays.

Refrigeration Temperature

4-25°C (adjustable).

Electricity

AC100V/240V, 50Hz/60Hz.

Standard Interface



VW-50 Selection Elevator Combo

50 Vends, Elevated Convenience— Snacks and Drinks, All in One!!

Technical Features

Height 1940 mm Width 790 mm Depth 1036 mm Weight 260 kg

Merchandise Type

About 70 choices (canned product/bottle packed product/box - packed product).

Storage Capacity

About 360-800pcs (according to size of goods).

Interior Storage

6 trays.

Refrigeration Temperature

4-25°C (adjustable).

Electricity

AC100V/240V, 50Hz/60Hz.

Standard Interface



VW-50 Selection Combo

50 Vends, Countless Choices, One Convenient Stop!

Technical Features

Height 1985 mm Width 1180 mm Depth 850 mm Weight 330 kg

Merchandise Type

About 50-70 choices (canned product/bottle packed product/box - packed product).

Storage Capacity

About 360-800pcs (according to size of goods).

Interior Storage

6 trays.

Refrigeration Temperature

4-25°C (adjustable).

Electricity

AC100V/240V, 50Hz/60Hz.

Standard Interface



VW-60 Selection Combo

60 Vends, Endless Variety—Snacks and Drinks at Your Fingertips!

Technical Features

Height 1950 mm Width 1190 mm Depth 790 mm Weight 280 kg

Merchandise Type

About 72 choices (canned product/bottle packed product/box - packed product).

Storage Capacity

About 360 (according to size of goods).

Interior Storage

6 trays.

Refrigeration Temperature

4-25°C (adjustable).

Electricity

AC100V/240V, 50Hz/60Hz.

Standard Interface



VW-FreshFood Elevator

Freshly Served, Lifted to You—Elevator Vending for Every Craving!

Technical Features

Height 1940 mm Width 1275 mm Depth 790 mm Weight 300 kg

Merchandise Type

54 choices (canned product/bottle packed product/box - packed product).

Storage Capacity

About 360pcs (according to size of goods).

Interior Storage

6 trays.

Refrigeration Temperature

4-25°C (adjustable).

Electricity

AC220V.



GV-30Selection Combo

30 Vends, Perfectly Packed—Snacks and Drinks for Every Need!

Technical Features

Height 1913 mm Width 890 mm Depth 820 mm Weight 190 kg

Merchandise Type

About 4-6 per items shelf (canned product/bottle packed product/box - packed product).

Storage Capacity

About 150-200pcs (according to size of goods).

Interior Storage

6 trays.

Refrigeration Temperature

3-25°C (adjustable).

Electricity

220V, 50/60HZ



GV-50 Selection Combo

50 Vends, Unlimited Options—Snacks and Drinks, Anytime You Want!

Technical Features

Height 1940 mm Width 1136 mm Depth 873 mm Weight 220 kg

Merchandise Type

About 6-10 items per shelf (canned product/bottle packed product/box - packed product).

Storage Capacity

About 240-720pcs (according to size of goods).

Interior Storage

6 trays.

Refrigeration Temperature

5-25°C (adjustable).

Electricity

110V-220V, 50/60HZ.



TF-25 Selection Combo

25 Vends, Big Variety—Snacks and Drinks, All in One Spot!

Technical Features

Height 1600 mm Width 720 mm Depth 825 mm Weight 180 kg

Technology

Telemetry; applicable internet Modem; EVA-DTS, GPE DATA (software updating by PC).

Lighting

LED.

Chiller

Compact chiller for quick and easy extraction. Ecological refrigeration Gas R404A. Internal Temperature 8°C with external temperature at 32°C. 3°C Version. Optional Quiet Chiller.

Graphic Display



TF-30 Selection Combo

30 Vends, Countless Choices— Snacks and Drinks at Your Convenience!

Technical Features

Height 1830 mm Width 720 mm Depth 825 mm Weight 190 kg

Technology

Telemetry; applicable internet Modem; EVA-DTS, GPE DATA (software updating by PC).

Lighting

LED.

Chiller

Compact chiller for quick and easy extraction. Ecological refrigeration Gas R404A. Internal Temperature 8°C with external temperature at 32°C. 3°C Version. Optional Quiet Chiller.

Graphic Display



TF-30 Lite Combo

25 Vends, Big Variety—Snacks and Drinks, All in One Spot!

Technical Features

Height 1700 mm Width 720 mm Depth 825 mm Weight 185 kg

Technology

Telemetry; applicable internet Modem; EVA-DTS, GPE DATA (software updating by PC).

Lighting

LED.

Chiller

Compact chiller for quick and easy extraction. Ecological refrigeration Gas R404A. Internal Temperature 8°C with external temperature at 32°C. 3°C Version. Optional Quiet Chiller.

Graphic Display

Frozen Vending Machines

Enjoy the ultimate frozen treat experience with ice cream vending machines.

Discover the convenience of frozen vending machines, where delicious frozen desserts are just a few steps away. With a variety of freshly frozen options available 24/7, you can enjoy high-quality, ready-to-eat treats whenever hunger strikes. Whatever you're craving, our machines keep everything perfectly chilled and ready to enjoy. Experience a whole new level of convenience with frozen vending—fresh, fast, and always on hand!



TF-Mini Frozen

Sweet, Cold, and Ready to Go-Frozen Desserts Anytime, Anywhere!

Technical Features

Height 1830 mm Width 720 mm Depth 980 mm Weight 240 kg

Technology

Telemetry; applicable internet Modem; EVA-DTS, GPE DATA (software updating by PC).

Lighting

LED.

Interior Storage

4 trays.

Chiller

Ecological refrigeration Gas R290 – Internal Temperature -20°C Electronic internal thermometer.

Insulation

Polyurethane. Triple insulating glass with anti-misting device.

Graphic Display



TF-MaxiFrozen

Chill Out Anytime— Delicious Frozen Desserts at Your Fingertips

Technical Features

Height 1830 mm Width 940 mm Depth 980 mm Weight 280 kg

Technology

Telemetry; applicable internet Modem; EVA-DTS, GPE DATA (software updating by PC).

Lighting

LED.

Interior Storage

3 trays, each with 6 selections.

Chiller

Ecological refrigeration Gas R290 – Internal Temperature -20°C Electronic internal thermometer.

Insulation

Polyurethane. Triple insulating glass with anti-misting device.

Graphic Display

Water Dispensing Vending Machines

The water vending machine dispenses cold, filtered water at the push of a button.

The Water Dispensing Vending Machine's offer a convenient, eco-friendly solution for staying hydrated on the go. With just a simple tap, users can access fresh, filtered water in reusable bottles or cups, reducing plastic waste and promoting sustainability. Perfect for high-traffic areas like offices, gyms, and public spaces, this vending machine makes it easy to quench your thirst while supporting a greener future.



TF-MiniBottle Filler

Pure Water, Anytime, Anywhere.

Technical Features

Height 1700 mm Width 530 mm Depth 720 mm Weight 120 kg

Technology

Telemetry; applicable internet Modem; EVA-DTS, GPE DATA (software updating by PC).

Lighting

LED.

Hygiene Devices (Optional)

UV-C lamp to eliminate bacteria from the water Sanitizing of the spout and retrieval area by ozone jet or165 °C steam jet.

Chiller

Compact chiller for quick and easy extraction Ecological cooling gas R290 Room
Temperature +10°C | +45°C
Water production: 45 Ltr/h
Water output temperature:
+3°C | +10°C Ice bank: 5/6 Lt Cooling system: Ice bank

Graphic Display



TF-BottleFiller

Refresh Naturally, Refill Responsibly.

Technical Features

Height 1830 mm Width 6550 mm Depth 720 mm Weight 140 kg

Technology

Telemetry; applicable internet Modem; EVA-DTS, GPE DATA (software updating by PC).

Lighting

LED.

Hygiene Devices (Optional)

UV-C lamp to eliminate bacteria from the water Sanitizing of the spout and retrieval area by ozone jet or165 °C steam jet.

Chiller

Compact chiller for quick and easy extraction Ecological cooling gas R290 Room
Temperature +10°C | +45°C
Water production: 45 Ltr/h
Water output temperature:
+3°C | +10°C Ice bank: 5/6 Lt Cooling system: Ice bank

Graphic Display

Coffee Vending Machines

Coffee machines provide a quick and convenient way to enjoy a hot cup of coffee, with a variety of options at the touch of a button.

Coffee vending machines offer a fast and convenient solution for coffee lovers on the go, delivering a variety of hot beverages with just a few taps. From rich espressos to creamy lattes, these machines ensure a satisfying cup every time, ideal for offices, breakrooms, and public spaces. With customizable options and consistent quality, they make it easy to enjoy a café-style experience wherever you are.



GV-Coffee

Your Perfect Brew, At Your Convinience.

Technical Features

Height 1830 mm Width 664 mm Depth 720 mm Weight 150 kg

Capacity

200-300kg

Coffee Bean Box

1.5kg

Water Feeding Pattern

Bottled water,the cabinet can hold 2 buckets (18.9L)

Power Supply

110V~220V~240V, 50/60HZ.

Rated Power

2700W

Internet Connection

WIFI/4G

Screen

21.5 LCD Touch screen ,Button type Intelligent Touch screen

Payment Systems

Modern vending machines feature flexible payment systems, allowing users to pay with cash or credit/debit cards.

Vending machines today are equipped with advanced payment systems, offering multiple ways to pay for convenience and flexibility. From traditional cash and coin options to modern credit and debit card readers, as well as mobile payment methods like Apple Pay and Google Wallet, these systems make transactions quick and secure. With contactless options gaining popularity, customers can enjoy a seamless, efficient experience whether they're grabbing a snack, drink, or other items, without needing to fumble for change or worry about carrying cash.



Onyx Card Reader

Tap, Pay, Enjoy – Fast, Secure, Contactless.

External Communications

2G, 3G, 4G, Ethernet and NFC Including:

- Apple pay
- Samasung pay
- Google pay
- Paypal
- Visa
- Mastercard
- American Express

Protocols

MDB, Pulse, VCCS, DEX, DDCMP, RS32 interface and JVMA.

Features

- Contactless card reader
- Cashless payments
- Telemetry
- Management system
- Marketing platform
- Highly secure and fitted with Dragontrail glass to prevent vandalism
- Plug and play with remote capabilities and software updates.
- Open door and temperature sensors



Nova Kiosk

Revolutionizing Vending: Smart, Seamless, and Secure.

External Communications

2G, 3G, 4G, Ethernet and NFC Including:

- Apple pay
- Samasung pay
- Google pay
- Paypal
- Visa
- Mastercard
- American Express

Relevant Markets

- Hotels
- Workplaces
- Universities
- Shops
- More

Features

- Fast and intuitive selfcheckout
- Out of the box solution
- Consumer engagement and loyalty programs
- On-screen promotions
- Prepaid card management
- Multi-language interface
- Software integrations
- Order fulfillment
- Digital receipts















